

VELVET STONE

Acrylic impregnation varnish

DESCRIPTION

Acrylic-based, transparent, impregnation and protection varnish suitable for stones & porous surfaces. Protects the surface of the stone from abrasion, moisture and stain absorption.

It does not shine, does not yellow (contains UV filters), does not peel.

USAGES

- Impregnates deeply, it protects and strengthens porous surfaces.
- Prevents staining from rain and the passage of time.
- Protects the decorative microcement coating MARMOLINE VELVET DECO.
- Provides high resistance to UV radiation.

- Seals and protects surfaces against mold and dirt.

CHARACTERISTICS/ ADVANTAGES

- Ready to use
- Water repellent
- Oil repellent
- Non-yellowing
- Does not peel
- Withstands time
- Indoor and outdoor use
- Ease of application with a roller or brush
- Highlights all porous surfaces
- Dries quickly

APPLICATION INFORMATION

Substrate temperature	+5°C / +35°C
Environment temperature	+5°C / +35°C
Consumption	Use 1 lt per 5 to 8 m ² depending on the substrate and its absorbency
Substrate moisture	>5%
Waiting time for repainting	~ 2-3 hours (+20°C)

The above times affected by the prevailing environmental conditions and especially by the temperature and relative humidity.

PRODUCT INFORMATION

Packing	Plastic containers of 1 lt and 5 lt.
Form	Transparent liquid
Storage conditions	Containers must be stored in dry areas at a temperature from +5°C to +35°C, protected from sunlight, and are preserved for at least 24 months from the date of production.
Lifetime	24 months from the date of production.
Safety and Hygiene	Clear acrylic based liquid with organic solvents. It is harmful when inhaled or comes into contact with the body (Please consult the product's Safety Data Sheet) VOC - "Binding primers": Maximum VOC content in ready to use product < 750gr/lit
Behavior in the fire	Highly flammable

DIRECTIONS OF USE

SUBSTRATE PREPARATION

The substrate should be stable, solid, dry and free of dust, loose particles and all kinds of contaminants. The surface must be dry, clean, free of dust, loose materials, salts or oils.

Particular attention should be paid to the possible presence of moisture in the substrate.

APPLICATION

Stir the VELVET STONE varnish and apply with a roller or brush in 2 layers.

The second layer should be applied in 2-3 hours apart from the first. Pay attention to the temperature during the summer months (to

avoid hot days and to choose morning hours for the application). Surfaces after applying the varnish should be protected from water for at least 24 hours.

CLEANING TOOLS

Raw material should be removed with solvent.

IMPORTANT NOTES

- If the surface of the decorative microcement coating is dusty, it should be dry and cleaned. The stone surface can be cleaned with a squeezed damp sponge without remaining moisture on.

- If applied to old stained surfaces, they should first be thoroughly cleaned with Marmoline cleaners.
- On new stone surfaces, apply the varnish after 4 weeks at least from their fixing and grouting.

HEALTH, SAFETY & ENVIROMENTAL PROTECTION

Detailed information and instructions regarding the safe management of the product and in matters of Health & Safety, are provided in the most recent Safety Data Sheet (SDS), copies of which are available on the company's website www.marmoline.gr or upon request

LEGAL NOTICE

We guarantee the quality of all our products, on the basis of their technical specifications, as described in the Declaration of Performance (CE) and this technical data sheet. Such guarantee refers only to the products that we deliver for use and never to its application or final result, which largely depend on the experience and quality of work of each user and on the application conditions. The user is advised to test the product on a small scale, and if he is satisfied with the result, then to use the product on large scale in his project.

All technical data stated in this Product Properties Sheet based on laboratory tests. The really measurable data can have differentiated due to conditions that do not are subject to our control. The recommendations and implementation instructions must be considered from the user as indicative, and always with given that the product has been traded and traded and stored according to its instructions.

As it is not possible to control the parameters / conditions of its application product in practice, cannot no guarantee is provided for result of each application. Therefore, no legal basis can be established liability of the Company based on the information and instructions here in Product Properties Sheet. The Company reserves the right amendment of those listed herein Product Properties Sheet, no warning. Users must refer to the latest version Product Properties Sheet.