

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : CHRYSO® Serenis Product code : B0827H.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Concrete and mortar admixture.

1.3. Details of the supplier of the safety data sheet

Registered company name : NORDIA S.A..

Address : 364 Kifisias Av.15233.Chalandri.Greece. Telephone : +30 22950 22225. Fax : +30 22950 22120.

info@marmoline.gr

1.4. Emergency telephone number : 210 7793777.

Association/Organisation : POISONING ADVISORY CENTER.

|>SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

|> In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Reproductive toxicity, Category 2 (Repr. 2, H361d).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

|> In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07 GHS08				
Signal Word :				
WARNING				
Product identifiers : EC 203-489-0 2-METHYLP	ENTANE-2,4-DIOL			
Hazard statements :				
H315	Causes skin irritation.			
H319	Causes serious eye irritation.			
H361d	Suspected of damaging the unborn child.			
Precautionary statements - Prevention :				
P201	Obtain special instructions before use.			
P202	Do not handle until all safety precautions have been read and understood.			
P264	Wash the hands thoroughly after handling.			
Precautionary statements - Response :				
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P308 + P313	IF exposed or concerned: Get medical advice/attention.			
P332 + P313	If skin irritation occurs: Get medical advice/attention.			
P337 + P313	If eye irritation persists: Get medical advice/attention.			
P362 + P364	Take off contaminated clothing and wash it before reuse.			

CHRYSO® Serenis - B0827H

Precautionary statements - Storage :	
P405	Store locked up.
Precautionary statements - Disposal :	
P501	Dispose of contents/container to a collect point for special or hazardous waste.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	(EC) 1272/2008	Note	%
CAS: 107-41-5	GHS07, GHS08	[1]	$50 \le x \% \le 100$
EC: 203-489-0	Wng	[2]	
REACH: 01-2119539582-35	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
2-METHYLPENTANE-2,4-DIOL	Repr. 2, H361d		

Specific concentration limits:

specific concentration milits.		
Identification	Specific concentration limits	ATE
CAS: 107-41-5	Skin Irrit. 2: H315 >=10%	oral: ATE = 3700 mg/kg BW
EC: 203-489-0	Eye Irrit. 2: H319 C>= 10%	
REACH: 01-2119539582-35		
2-METHYLPENTANE-2,4-DIOL		

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

No data available.

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

|>SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Avoid exposure to pregnant women and warn women of child-bearing age of the possible risks

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

|> Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

Avoid exposure - obtain special instructions before use.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

|> Packaging

Always keep in packaging made of an identical material to the original.

CHRYSO® Serenis - B0827H

7.3. Specific end use(s)

No data available.

|>SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

Occupational exp						
	DME (Departmen				_	
CAS	VME :	VME :	Excess	Notes	_	
107-41-5			25 ppm			
L			125 mgm/3			
	DOL RL (Departn					
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
107-41-5	25 ppm	25 ppm				
	125 mg/m3	125 mg/m3				
- Denmark (2020		-		- 1	_	
Stof	TWA	VSTEL	Loftvaerdi	Anm		
107-41-5	25 ppm			L		
	125 mg/m ³		(2) 1	(10/0001)		
	- Outils 65 / 2021-					
CAS	VME-ppm :	VME-mg/m3	3 : VLE-ppm :	VLE-mg/m3	: Notes :	TMP No
107-41-5	-	-	25	125	-	84
- Finland (HTP-			1 - 11			
CAS	TWA :	STEL:	Ceiling :	Definition :	Criteria :	
107-41-5	25 ppm	40 ppm				
	120 mg/m ³	200 mg/m ³				
	o Nacional de Seg					
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
107-41-5		25 ppm				
		123 mg/m ³				
- Greece (90/199	99):					
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
107-41-5		25 ppm	25 ppm			
		125 mg/m3	125 mgm/3			
- Norway (Veile	dning om adminis	trative normer f			ære, 2019) :	
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
107-41-5	20 ppm			Т		
	100 mg/m ³					
- Netherlands / M	MAC-waarde (10 d	lecember 2014)):			
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
107-41-5	-	-	125 mg/m3	-	-	
- Poland (Dz. U.	. z 2018 r. poz. 91	7. 1000 i 1076)	:			
CAS	TWA:	STEL:	Ceiling :	Definition :	Criteria :	
107-41-5	50 mg/m ³	100 mg/m ³				
- Switzerland (S	ŭ	_,U				
CAS	VME	VLE	Valeur plafor	nd Notations		
107-41-5	10 ppm	20 ppm			-	
	49 mg/m^3	98 mg/m ³				
- Sweden (AFS 2						
CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :	
107-41-5	1 11/1 1.	25 ppm				
		120 mg/m ³				
	orkplace exposure		005 Fourth Edi	ition 2020) ·]
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
107-41-5	25 ppm	25 ppm				_
10/-11-5	123 mg/m ³	123 ppm 123 mg/m^3				
L	125 mg/m	125 mg/m				

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

|> - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

|> - Body protection

Avoid skin contact.

Wear suitable protective clothing.

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

|>SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

Physical state Fluid liquid. Physical state : Fluid liquid. Image: Physical state : Fluid liquid li		9.1. Information on basic physical and chemical properties		
> Cour Brown Odour Odour Odour threshold : Odour : Odour : Odour : Characteristic Melting point/melting range : Melting point/melting range : Not relevant. Freezing point Freezing point / Freezing range : Not stated. Boiling point or initial boiling point and boiling range Boiling point/boiling range : Not relevant. Flammability Flammability (solid, gas) :		Physical state		
Brown Odour Odour threshold : Not stated. Odour : Characteristic Melting point Kot relevant. Freezing point / Freezing range : Not stated. Freezing point / Freezing range : Not stated. Boiling point/boiling range : Not stated. Freezing point / Freezing range : Not stated. Freezing point / Freezing range : Not stated. Flammability Flammability (solid, gas) :		Physical state :	Fluid liquid.	
Odour Not stated. Odour threshold : Not stated. Odour : Characteristic Melting point Not relevant. Freezing point Not relevant. Freezing point / Freezing range : Not stated. Boiling point or initial boiling point and boiling range Not stated. Boiling point/boiling range : Not relevant. Flammability Not stated.	>	Colour		
Odour threshold :Not stated.Odour :CharacteristicMelting pointCharacteristicMelting point/melting range :Not relevant.Freezing point /Freezing range :Freezing point / Freezing range :Not stated.Boiling point or initial boiling point and boiling rangeNot relevant.FlammabilityNot relevant.Flammability (solid, gas) :Not stated.		Brown		
Odour :CharacteristicMelting pointCharacteristicMelting point/melting range :Not relevant.Freezing pointFreezing range :Freezing point or initial boiling point and boiling rangeNot stated.Boiling point/boiling range :Not relevant.FlammabilityFlammability (solid, gas) :		Odour		
Melting pointMelting point/melting range :Not relevant.Freezing pointFreezing range :Freezing point / Freezing range :Not stated.Boiling point or initial boiling point and boiling rangeNot relevant.Boiling point/boiling range :Not relevant.FlammabilityFlammability (solid, gas) :		Odour threshold :	Not stated.	
Melting point/melting range :Not relevant.Freezing pointFreezing range :Not stated.Boiling point or initial boiling point and boiling rangeNot relevant.Boiling point/boiling range :Not relevant.FlammabilityFlammability (solid, gas) :Flammability (solid, gas) :Not stated.		Odour :	Characteristic	
Freezing point Freezing range : Not stated. Boiling point or initial boiling point and boiling range Not relevant. Boiling point/boiling range : Not relevant. Flammability Flammability (solid, gas) :		Melting point		
Freezing point / Freezing range :Not stated.Boiling point or initial boiling point and boiling rangeNot relevant.Boiling point/boiling range :Not relevant.FlammabilityFlammability (solid, gas) :		Melting point/melting range :	Not relevant.	
Boiling point or initial boiling point and boiling range Boiling point/boiling range : Not relevant. Flammability Flammability (solid, gas) : Not stated.		Freezing point		
Boiling point/boiling range :Not relevant.FlammabilityNot stated.		Freezing point / Freezing range :	Not stated.	
Flammability Not stated.		Boiling point or initial boiling point and boiling range		
Flammability (solid, gas) : Not stated.		Boiling point/boiling range :	Not relevant.	
		Flammability		
Lower and upper explosion limit		Flammability (solid, gas) :	Not stated.	
		Lower and upper explosion limit		
Explosive properties, lower explosivity limit (%) : Not stated.		Explosive properties, lower explosivity limit (%) :	Not stated.	
Explosive properties, upper explosivity limit (%): Not stated.		Explosive properties, upper explosivity limit (%) :	Not stated.	
Flash point		Flash point		
Flash point interval : Not relevant.		Flash point interval :	Not relevant.	

Auto-ignition temperature	
Self-ignition temperature :	Not relevant.
Decomposition temperature	
Decomposition point/decomposition range :	Not relevant.
рН	
pH (aqueous solution) :	7 (50%)
pH :	Not stated.
Kinematic viscosity	
Viscosity :	Not stated.
Solubility	
Water solubility :	Soluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	< 1
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
No data available.	
9.2.1. Information with regard to physical hazard classes	
No data available.	
9.2.2. Other safety characteristics	
No data available.	

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

|>SECTION 11 : TOXICOLOGICAL INFORMATION

|> 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

Suspected human reproductive toxicant.

Suspected of damaging the unborn child.

11.1.1. Substances

Acute toxicity :

2-METHYLPENTANE-2,4-DIOL (CAS: 107-41-5) Oral route :

LD50 = 3700 mg/kg Species : Rat

11.1.2. Mixture

No toxicological data available for the mixture.

11.2. Information on other hazards

SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances 2-METHYLPENTANE-2,4-DIOL (CAS: 107-41-5) LC50 = 8510 mg/l Fish toxicity : Species : Gambusia affinis Duration of exposure : 96 h Crustacean toxicity : EC50 = 5410 mg/lSpecies : Daphnia magna Duration of exposure : 48 h ECr50 = 429 mg/l Algae toxicity : Species : Selenastrum capricornutum Duration of exposure : 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

2-METHYLPENTANE-2,4-DIOL (CAS: 107-41-5) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

-

14.4. Packing group

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments

|>SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

|> - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

> - Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

|>SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section	on 3 :
---	--------

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.

> Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

CHRYSO® Serenis - B0827H

CMR: Carcinogenic, mutagenic or reprotoxic.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

GHS08 : Health hazard

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.

> Modification compared to the previous version