

V E L V E T D E C O P R E M I A

ACRYLIC DECORATIVE COATING

—
High aesthetic
Velvety surface
Easy application



VELVET DECO PREMIA



Coarse Fine

Acrylic decorative coating for floors and walls

Ready-to-use, white, acrylic decorative coating of pressed cement mortar. It is used both as a base and as a final coating on horizontal and vertical surfaces. Ideal for the aesthetic renovation of interior or exterior surfaces with a smooth finish. It does not crack, shows high abrasion resistance, excellent workability, and a perfect aesthetic result. Ideal for applications on horizontal and vertical surfaces made of concrete, cement mortar, mosaics, and existing old tiles (with the use of a suitable primer). Also suitable for cement boards and plasterboards installed in living spaces & offices, kitchens, bedrooms, bathrooms, shower areas, built-in furniture, and storage spaces. Also suitable for floors with underfloor heating.

Consumption: 1,6 kg/m²/mm.

Acrylic decorative final coating for floors and walls

Acrylic, white decorative coating, ready to use, ideal for final application on horizontal and vertical surfaces. Perfect for the renovation of both interior and exterior spaces. It ensures an excellent aesthetic result, providing an exceptionally smooth and velvety finish. This material does not crack, offers high wear resistance, and excellent workability. It is suitable for use on surfaces made of concrete, cement mortar, and mosaic, as well as on old tiles (with the use of a suitable primer). It can also be applied to cement boards and plasterboards in interior spaces such as kitchens, living rooms, bedrooms, bathrooms, showers, and built-in furniture, as well as in office spaces. Suitable for floors with underfloor heating, offering a timeless and durable finish.

Consumption: 0,8 kg/m²/mm.



It is:

An enhanced coating system that creates a decorative surface coating technology used for the renovation and aesthetic upgrade of walls, floors, and other surfaces. This type of decorative coating system is characterized by high durability, fine texture, and a velvety feel.

It offers:

- **Decorative Coverage:** Creates a modern and attractive appearance in both interior and exterior spaces with a velvety matte finish.
- **Easy Application:** Provides a very pleasant (velvety) texture during application, making the process smooth and efficient.
- **Durability:** Offers exceptional resistance to wear, moisture, and temperature fluctuations, making it ideal for high-traffic areas or humid environments (e.g., bathrooms, kitchens).
- **Replaces Traditional Materials:** Serves as an alternative to tiles, marble, or other conventional surfaces, with the advantage of being seamless and continuous, without joints.
- **Customization & Versatility:** Available in various colours and finishes, allowing it to adapt to different styles and architectural designs.
- **Functionality:** Due to its smooth and continuous surface, it is easy to clean and does not trap dirt, making it practical for everyday use.

Surface Preparation:

- Apply the quartz primer MARMOLINE Pro Contact
- Use fiberglass mesh R51 58gr.

**It is applied on:**

- Floors and walls.
- Kitchen countertops.
- Bathrooms and shower areas.
- Furniture and stairs.
- Smooth substrates such as tiles, mosaics, marble, and plaster (with proper preparation and primer application).
- Traditional and modern constructions.

How to:

Proper application requires specialized techniques and attention to detail to achieve the desired aesthetic result and durability. Application only by experienced and specialized teams on decorative coating is highly recommended.

Why:

- It shows excellent high elasticity and workability, making its application easier for technicians.
- It does not crack easily, maintaining its integrity through many years. Even under challenging conditions like temperature fluctuations or humidity, the surface remains stable and resistant.
- It can be applied directly on various surfaces such as concrete, wood, ceramic tiles, and even metals, without requiring special preparation.
- It is signed by MARMOLINE.



Waterproofing & Protection



VELVET AQUA PU

Two-component, matte, aliphatic polyurethane, water-based varnish

It is ideal as a protective varnish over decorative coatings (cementitious & acrylic based systems) and patterns, as well as for wooden surfaces and mineral (cementitious based) substrates.

It is suitable for internal and external use. It is used as a transparent protective coating on decorative cement mortars MARMOLINE VELVET DECO, offering additional colour stabilization. It is applied over surfaces with stylish effects and patterns, such as metal imitations, mineral substrates and concrete, patterns with rust effect, «scratched», stencils, e.t.c. floors (warehouses, parking lots, etc.), providing excellent hot tyre resistance.

Consumption: 100 - 120 gr/m², per layer and according to the substrate absorbency and the application tools.

VELVET STONE

Acrylic varnish

Acrylic-based, transparent (matte), impregnation and protection varnish, suitable for stones & porous surfaces. Protects the surface of the stone from abrasion, moisture and stain absorption. It does not shine, does not yellow (contains UV filters), does not peel. It offers long-term resistance to sunlight as well as great penetration on the surface. It is also ideal for sealing stamped floors and concrete floors. It protects the decorative coating MARMOLINE VELVET DECO, from penetrating household stains, ensuring that the surfaces are easy to clean with mild household cleaners. It can also be used on Karystos stones surfaces and all kinds of natural stones.

Consumption: Approximately 1 lt per 5 to 8 m², depending on the substrate and its absorbency.

VELVET LIQUID PU

Polyurethane protective varnish

Transparent, satin, solvent-free, one-component aliphatic polyurethane varnish.


During application, it is polymerized by the humidity of the environment and creates a uniform elastic hydrophobic membrane, giving the surface excellent resistance to abrasion and other stresses.

It remains unaffected by UV radiation and shows very good mechanical and chemical resistance.


Used as a transparent protective coating on decorative microcement coating MARMOLINE VELVET DECO. Suitable for floors, walls and other surfaces of residences, offices, shops, restaurants, warehouses, production spaces, exhibitional spaces etc. Easy application - Decorates and improves the surface - Does not yellow - Provides a surface with high resistance to abrasion and impact.

Consumption: 100 - 200 gr/m², per layer. Requires 1 - 2 layers.


3 6 S E L E C T E D S H A D E S



OW18 - a C 8 - a C 8 - b C 8 - c C 9 - b C 9 - c C 11 - a C 12 - a C 11 - c



D 20 - a D 11 - c D 8 - d D 14 - e D 7 - e C 12 - c C 14 - c C 4 - d C 9 - f



D 9 - b D 20 - c D 30 - b D 9 - d D 22 - b D 26 - b D 22 - d D 20 - e D 30 - f



D 31 - b D 38 - b D 31 - d D 27 - d D 24 - d C 33 - d C 33 - e C 38 - d D 35 - f

Please do not forget:
• Printing may differentiate the presented shades above from their original colour.

VELVET DECO PREMIA



NORDIA

Tel. Athens: +30 22950 22225 _ Tel. Thessaloniki +30 2310 780879 _ e-mail: info@nordia.gr _ www.marmoline.gr

