According to 1907/2006 & 1272/2008

Trade name: MARMOLINE ARMOS EPOXY (A+B)

Print date: 12/5/2020 Revision date: 20/6/2016

SDS:

This product is intended only for professional use and only after briefing from the corresponding Bulletin of Technical Information of constructor.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING			
Name of Mixture Use of Mixture	: <u>SUPER EPOXY (A Component)</u> : Solvent Free 2 Component Epoxy Grout		
	Epoxy resin with reactive epoxy diluents (Number average molecular weight<=700)		
Producer	: NORDIA S.A. Kifissias 364, 15233 Halandri Greece		
<b>Company telephone</b> Fax	: 2295022225 : 2295022120		
Company's site e-mail	: www.marmoline.gr : info@nordia.gr		
Emergency telephone number	: 2107793777		

# 2. HAZARDS IDENTIFICATION

<u>Classification of the mixture</u> Classification according to 1272/2008(CLP)

Other hazards: Label elements Hazard:

Skin irritation 2: H315, Eye irritation 2 : H319, Skin sensitization 1:H317, Aquatic chronic 3: H412

Signal word:

Hazard statement(s):

**Precautionary statement(s):** 



**H315** Cause skin irritation. **H319** Causes serious eye irritation. **H317** May cause an allergic skin reaction. **H412** Harmful to aquatic life with long lasting effects.

P273, Avoid release to the environment P280,Wear protective gloves/protective clothing/eye protection/face protection. P302+352, IF ON SKIN: Gently wash with plenty of soap and water. P305+P351+P338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313, If skin irritation or rash occurs: Get medical advice/ attention.

# **3. COMPOSITION / INFORMATION ON INGREDIENTS**

Edition date : 15/6/2011

Edition 1st

According to 1907/2006 & 1272/2008 Trade name: MARMOLINE ARMOS EPOXY (A+B)

Print date: 12/5/2020 Revision date: 20/6/2016

SDS: **Composition:** Mixture of liquid epoxy resins and reactive diluents.

Chemical name	EC-No	REACH- No	Index-No	CAS-No	Amount (%)	Classification a Regulation (l 1272/2008 [	EC) No	Classification according 67/548/EEC
						Hazard class & category	Hazard statement	
Reaction product: Bisphenol A- (epichlorhydrin) epoxy resin (number molecular weight<700	500-033-5		603-074-00-8	25068-38-6	1-10	Eye Irrit. 2, Skin Irrit. 2, Skin Sens.1, Aquatic Chronic 2,	H319 H315 H317 H411	Xi, R36/38, R43 N ,R51/53
(C12-C14) Alkylglycidyl ether	271-846-8		603-103-00-4	68609-97-2	1-10	Skin Irrit. 2 Skin Sens. 1	H315 H317	Xi, R38, R43
Bisphenol F - epichlorohydrin resin with Number Average Molecular Weight < 700				28064-14-4	1-10			Xi ,R36/38, R43 N, R51/53
Other ingredients					<70	No	ot classifie	ed

Full text of R- and H-phrases: see section 16.

4. FIRST AID MEASURES	
General Instructions	: If exist doubts or if the symptoms insist, seek for medical advice.
Inhalation	: Move the victim in open space with clean air.
	Do not give anything from the mouth. If the person has lost his senses, place him with caution and ask for medical advice.
Skin Contact	: Wash the skin thoroughly with soap and water or use suitable detergent. Do not use solvents or thinners.
Eye Contact	: Remove the contact lenses. Wash immediately the eyes with water for 15 minutes holding the eyelids open.
Ingestion	: In case of ingestion do not cause vomit, seek immediately for medical advice and show them this safety data sheet.

<b>5. FIRE FIGHTING MEASURES</b>	
Suitable Extinguishing Agents	: Alcohol Resistant Foam, CO2, fire fighting dust. Do not use water jet with pressure.
Special hazards during fire fighting	: The fire produces dense, black smoke. Freeze with water the closed containers that are exposed in fire.
Special Protective Equipment	: Use suitable respiratory device and suitable protective clothes.

Personal precautions

: Avoid contact with skin, eyes and the inhalation of vapours. Wear protective clothes.

Page 3/7	

# Material Safety Data Sheet According to 1907/2006 & 1272/2008

SDS:

Trade name: MARMOLINE ARMOS EPOXY (A+B) Print date: 12/5/2020

Environmental precautions

Revision date: 20/6/2016

: Do not allow the product to reach ground/soil. Prevent material from reaching sewage system, holes and cellars.

	Inform respective authorities in case product reaches water or sewage system.
Clean up methods	: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.
7. HANDLING AND STORAGE	
Handling	<ul> <li>The vapours can form explosive mixtures with air. Prevent the creation of flammable or explosive concentration of vapours in air and avoid concentration of vapours bigger than the limits of professional report. Moreover, the product should be used only in spaces in which do not exist sources of lighting without cover and sources of ignition. Protect the electric equipment according to the suitable method.</li> <li>For the induction of static electricity at the duration of transfusion, ground the container properly. The operators should wear anti-static footwear and clothing and the floor should be grounded. The container must be maintained hermetically closed. Keep away from heat, sparks and flames. It should not be used with tools that can cause spark.</li> <li>Avoid contact with skin and eyes. Avoid the inhalation of dust, particles and vapours that are created during the application of this preparation. Avoid the inhalation of dust that is created at the duration of work of rubbing. The consumption of food, drinks and the smoking should be prohibited in spaces of handling, storage and treatment of this material. The workers should wash their hands before the reception of food, drinks and the smoking. Wear suitable personal protective equipment (see also chapter 8).</li> <li>Never use pressure in order to empty the container.</li> </ul>
Storage	<ul> <li>Maintain always the product in containers manufactured from the same material with the initial container.</li> <li>If the operators are spraying should work in booth of spraying. In such circumstances they should wear respiratory appliance at the duration of process of spraying and until the concentration of particles and steams of solvent falls under the limits of reports.</li> <li>Store according to the local regulations. Read the precautions that are written in the label. Store in cool, well ventilated space far from incompatible materials and sources of ignition.</li> <li>Keep away from: Oxidant mediums, powerful alkalis, powerful acids. The smoking is prohibited. Prevent the access in not permitted individuals. Close hermetically and</li> </ul>
Edition date : 15/6/2011	Edition 1 <sup>st</sup>

According to 1907/2006 & 1272/2008 Trade name: MARMOLINE ARMOS EPOXY (A+B) Print

Print date: 12/5/2020 Revision date: 20/6/2016

SDS: carefully the containers that have been opened and maintain them in straight place. Do not empty the rest of the content in the sewerage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION			
Mechanical measures	: Provide sufficient ventilation. Where it is practical possible, should be used suitable ventilation system.		
Equipment of personal protecti	ion		
Respiratory protection	: If the workers are exposed in concentrations above the limit of report, it should be used suitable respiratory devices.		
Protection of skin/ body	: The personnel should wear protective clothes that cover all the parts of the body.		
Protection of hands	: For extended or repeated work, use gloves of neoprene or nitrile.		
Eye Protection	: Wear safety glasses.		
Control of environmental report	: Do not leave the material to induce in sewerages.		
9. PHYSICAL AND CHEMICAL PROPERTIES			
Physical state	: Paste		
Odour	: Weak		
Colour	: Depends from the customer		
Ignition Point	: Not calculated		
Boiling point	: Not calculated		

Flammable point Pressure of vapors	: Not calculated : Not calculated : Not calculated
Viscosity at 23 °C Density	: ≈ 1400-2800 mPa.s : 1.70 g/ml
Solubility	: Insoluble in cold and hot water
10. STABILITY AND REACTIVITY	
Conditions that should be avoided	: It is not decomposed under normal use. Avoid high temperatures.
Materially that should be avoided	: Strong oxidant materials.
Dangerous decomposition materials	: In case of fire it can be released carbon monoxide and smoke.

**11. TOXICOLOGICAL INFORMATION** 

Do not exist available data for this product. The
preparation has been evaluated according to the
conventional method of Directive 1999/45/EK for
Dangerous Substances and has been categorized
proportionally according to the toxicological
dangers. For more details read also chapter 2 and
15.
The report in concentration of starms of columnts

The report in concentration of steams of solvents that is contained in the product above the determined limit of professional report can cause undesirable repercussions in the health causing irritation at the respiratory system, as well as undesirable repercussions in the kidney, liver and

Page 5/7

## Material Safety Data Sheet

#### According to 1907/2006 & 1272/2008 Trade name: MARMOLINE ARMOS EPOXY (A+B)

Print date: 12/5/2020 Revision date: 20/6/2016

SDS:

the central nervous system. The symptoms and the clues include headache, dizziness, lassitude, muscle weakness, drowsiness also in extreme cases loss of senses. The solvents can cause certain repercussions if they are absorbed by the skin. If liquid damage the eyes, can cause irritation and irreversible damage.

## **12. ECOLOGICAL INFORMATION**

No available data for this product. The preparation has been evaluated according to the conventional method of directive for dangerous preparations 1999/45/EC and has been characterized as dangerous for the environment. Dangerous for the aquatic environment. It is not allowed to be released in underground waters, in the aquatic environment or in the sewerage. In the aquatic environment it is poisonous for the fishes and the aquatic organisms. Dangerous for potable water. Not soluble in cold and hot water.

# **13. DISPOSAL CONSIDERATIONS**

Do not release it in sewerages or in aquatic sources. Dispose according to all the national and local regulations. Dangerous Waste : The classification of product fulfils the criteria for dangerous waste.

## **14. TRANSPORT INFORMATION**

Transport on road ADR/RID			
Number UN	: 3082		
Name of Transport	: EPOXY GROUT,		
document	CONTAINS LIQUID EPOXY RESIN		
Class	:9		
Packaging group	: III		
Label ADR/RID			

#### Transport with boat in the sea IMDG

Number UN Name of Transport	: 3082 : EPOXY GROUT,
-	•
document	CONTAINS LIQUID EPOXY RESIN
IMDG class	:9
Sea waste	:-
Packaging group	: III
Label IMDG	

Air transport ICAO/IATA	<u>\</u>
Number UN	<b>:</b> 3082
Name of Transport	: EPOXY GROUT,
document	CONTAINS LIQUID EPOXY RESIN
ICAO/IATA Class	:9
Packaging group	: III
Label ICAO/IATA	

According to 1907/2006 & 1272/2008 Trade name: MARMOLINE ARMOS EPOXY (A+B) Print

Print date: 12/5/2020 Revision date: 20/6/2016

SDS:

15. REGULATORY INFORMATION	
<b>Regulations E.C.</b>	<ul> <li>The preparation is classified as follows, according to directive 1272/2008/EC.</li> </ul>
Contains	: <u>Epoxy resin (Number average molecular weight&lt;=700)</u> <u>Reaction product : bisphenol A –epichlorydrin</u>
	Warning
Hazard statement(s)	H315 Cause skin irritation. H319 Causes serious eye irritation H317 May cause an allergic skin reaction
Precautionary statement(s)	P273 Avoid release to the environment P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+352 IF ON SKIN: Gently wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P333+P313 If skin irritation or rash occurs: Get medical advice/
Regulations E.C.	attention. Directive 2004/42/EC: Cat A/j < 500g/l.

## **16. OTHER INFORMATION**

H315 Cause skin irritation.

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H411 Toxic to aquatic life with long lasting effects

The information that is provided through this Safety Data Sheet is right according to our knowledge and information at the day of publication. The information that are given must be used only as a guide of use, storage, disposal and transport and it should not be considered as guarantee for it's quality.

The information that is given is related only for this material and not in combination with other materials and with other processes.

**Date sources** : 15/06/2011