

HI SIL

EN 15651-3
XS1

Antifungal silicone sealant

DESCRIPTION

Antifungal silicone of high quality and adhesiveness. Once it has hardened it is not affected by water or humidity. It cannot be colored.

FIELDS OF APPLICATION

It is used for sealing of joints in bathtubs, sinks, aluminium panels, windows etc. The application surfaces should be dry and clean. It cannot withstand temperatures ranging from -50°C to $+160^{\circ}\text{C}$

PRODUCT INFORMATION

Packaging :


Plastic cartridges of 280 ml

Storage :

In a sealed cartridge, it is preserved for 12 months after its production date

HEALTH, SAFETY & ENVIRONMENTAL PROTECTION

Detailed information and instructions regarding the safe management of the product and in matters of Health & Safety, are provided in the most recent Safety Data Sheet (SDS), copies of which are available on the company's website <https://marmoline.gr/> or upon request.

 14 1292 DoP: 057-MARMO-CPR
NORDIA S.A. 364 Kifissias Av., 15233 Chalandri, Athens/ Greece
MARMOLINE HI SIL SEALANT FOR SANITARY JOINTS EN 15651-3: XS1

COMPLIANCE WITH STANDARDS

CE marking and Declaration of Performance as type XS1 according to EN 15651-3

LEGAL NOTICE

We guarantee the quality of all our products, based on their technical specifications, as described in the Declaration of Performance (CE) and this Technical Data Sheet. Such guarantee refers only to the products that we deliver for use and never to its application or final result, which largely depends on the experience and quality of work of each user and on the application conditions. The user is advised to test the product on a small scale, and if he is satisfied with the result, then to use the product on large scale in his project.

All data stated in this Technical Data Sheet are based on laboratory tests. The really measurable data might differentiate due to conditions that are not subject to our control. The recommendations and implementation instructions must be considered by the user as indicative, and always with given that the product has been traded and traded and stored according to its instructions.

As it is not possible to control the parameters/conditions of its application product in practice, no guarantee is provided for the final result of each application. Consequently, no legal liability of the Company can be established based on the information and instruction given in this Technical Data Sheet.

The Company reserves the right to modify data listed in this Product Data Sheet, with no previous warning. Users must refer to the latest version of the product Technical Data Sheet .