

MCL 200 Cleaner for unpolished marbles

DESCRIPTION

Very strong and condensed cleaner suitable for all unpolished marbles. It effectively cleans residues of cement - plasters - joint fillers from various works, thus becoming an indispensable tool for all users. Suitable for cleaning dirt caused from wear, stains from coffee, oils, rust, stains from watering of flower-pots, etc. Friendly to sensitive valuable marbles.

APPLICATION FIELDS

It is suitable for

- all types of unpolished white marble such as Dionyssos, Thassos, Veria, Kavala etc
- most types of unpolished light colored marbles
- cementitious marble and tile grouts
- surfaces of old mosaic, on both vertical and horizontal surfaces, indoors and outdoors..

In combination with waterproofing liquid, provides a long term protection.

<u>Remarks:</u> Due to the different nature of each material, it is advised to make a compatibility test, on a small section of the surface, prior to final application.

CHARACTERISTICS/ ADVANTAGES

- Instant and effective action
- Suitable for all types of unpolished marbles
- Revitalizes worn marbles
- Does not change the look of marbles
- Indoor and outdoor use
- Easy to apply

PRODUCT INFORMATION

Packaging: Plastic containers of 1lt and 4 lt.

Storage: Containers must be stored in dry areas at a temperature from $+5^{\circ}$ C to $+35^{\circ}$ C and protected from sunlight and are preserved for at least 24 months from the date of production.

TECHNICAL CHARACTERISTICS

Form: Transparent liquid

Odour: Acidic

Density: 1 g/ml, 25°C

HEALTH, SAFETY & ENVIROMENTAL PROTECTION

Contains phosphoric acid. Detailed information and instructions regarding the safe management of the product and in matters of Health & Safety, are provided in the most recent Safety Data Sheet (SDS), copies of which are available on the company's website https://marmoline.gr/ or upon request



APPLICATION INSTRUCTIONS

- MCL 200 is very strong and it is recommended to use, as a precaution, protective gloves and goggles.
- To avoid the possibility of corrosion, it is recommended to perform a trial application to a small surface of clean marble.
- Remove or cover sensitive surfaces and items.
- Spread MCL 200 undiluted on the surface and rub with a broom or harsh sponge for 3 5 minutes.
- Before the material dries, rinse the surface with clean water while rubbing with a broom.
- If there are persistent stains, you may repeat the process after 15 20 minutes.
- To clean simple stains, you may dilute by 20% with water.
- Not recommended for polished marbles.
- Consumption: Approx. 1 lt per 5 to 6 m²
- Application temperature: +5 °C to +35°C

LEGAL NOTICE

We guarantee the quality of all our products, based on their technical specifications, as described in the Declaration of Performance (CE) and this TechnicalData Sheet. Such guarantee refers only to the products that we deliver for use and never to its application or final result, which largely depends on the experience and quality of work of each user and on the application conditions. The user is advised to test the product on a small scale, and if he is satisfied with the result, then to use the product on large scale in his project. All data stated in this Technical Data Sheet are based on laboratory tests. The really measurable data might differentiate due to conditions that are not subject to our control. The recommendations and implementation instructions must be considered by the user as indicative, and always with given that the product

www.marmoline.gr e-mail: info@nordia.gr Tel.: (+30) 22950 22225 Fax: (+30) 22950 22120

has been traded and traded and stored according to its instructions. As it is not possible to control the parameters/conditions of its application product in practice, no guarantee is provided for the final result of each application. Consequently, no legal liability of the Company can be established based on the information and instruction given in this Technical Data Sheet. The Company reserves the right to modify data listed in this Product Data Sheet, with no previous warning. Users must refer to the latest version of the product Technical Data Sheet.